

Supplemental Specifications

1. The applicant shall allow the City Engineer or his representative on the site at all times to inspect the work.
2. If an inspector is needed to stay with the work, the cost of the inspection will be paid by the applicant. Failure to pay inspection costs becomes a single lot assessment.
3. All work shall be performed to MIOSHA rules and regulations. Trench protection and shoring shall be the responsibility of the contractor and owner.
4. All excavated material shall be stored off the right-of-way or removed promptly if excavated from the travel portion of the street. Back fill material shall not be stored in a way to impede the flow of storm water, or within 10 feet of any tree.
5. Approved back fill:
 - MDOT Class II Sand compacted to 98% proctor density
 - ODOT 304 Limestone: top 12 inches 98% proctor density
 - Alternate: Flowable fill per City of Adrian specs
 - Bituminous: 2-1.5 inch lift of approved bituminous material, straight edges
 - Finish: Hot rubber joint sealer
6. When tree trimming, removal or root cutting is part of the request for permit, it shall be noted on the plans accompanying the application. If tree trimming, removal, or root cutting is approved by the City Forester it shall be the responsibility of the applicant to perform the work and dispose of all log, brush, limbs, stumps and litter in accordance to manner acceptable to the City Forester. When required, a replacement tree will be planted at permittee's expense.

Boring Requirements

When an underground utility comes within 4 foot or 1 foot for each 1 inch of trunk diameter of the tree, the utility shall bore under the tree the distance required. No looping around a tree shall be allowed. Exceptions to these boring requirements must be approved by the City Forester before the permit is issued.

Approvals

Needed	Signature	Date
<input type="checkbox"/> Parks & Engineering	_____	_____
<input type="checkbox"/> Utilities Department	_____	_____
<input type="checkbox"/> Police Chief	_____	_____
<input type="checkbox"/> Fire Chief	_____	_____

Details to be followed:

- Driveway
 Pipe Trench
 Curb and Gutter
 Tree Protection

Special Conditions
